



CDW Documentation

Deploy Face Blur Script to Azure Function App

Deploy Face Blur Script to Azure Function App

Prerequisites

Install Azure CLI # Windows `curl -sL https://aka.ms/InstallAzureCLIDeb | sudo bash`

macOS `brew install azure-cli`

Or download from: <https://docs.microsoft.com/en-us/cli/azure/install-azure-cli>

Install Azure Functions Core Tools

```
# Windows (via npm)
npm install -g azure-functions-core-tools@4 --unsafe-perm true
```

```
# macOS
brew tap azure/functions
brew install azure-functions-core-tools@4
```

```
# Linux
curl https://packages.microsoft.com/keys/microsoft.asc | gpg --dearmor >
microsoft.gpg
sudo mv microsoft.gpg /etc/apt/trusted.gpg.d/microsoft.gpg
sudo sh -c 'echo "deb [arch=amd64]
https://packages.microsoft.com/repos/microsoft-ubuntu-$(lsb_release -cs)-
prod $(lsb_release -cs) main" > /etc/apt/sources.list.d/dotnetdev.list'
sudo apt-get update
sudo apt-get install azure-functions-core-tools-4
```

Step 1: Login to Azure

```
az login
```

Step 2: Set Your Subscription (if you have multiple)

```
bash# List subscriptions
az account list --output table
```

```
# Set active subscription
```

```
az account set --subscription "Your-Subscription-Name-Or-ID"
```

Step 3: Create Resource Group (if needed) bash

```
az group create --name myResourceGroup --location eastus
```

Step 4: Create Storage Account (for Function App) bash

```
az storage account create \  
  --name myfunctionstorageacct \  
  --location eastus \  
  --resource-group myResourceGroup \  
  --sku Standard_LRS
```

Step 5: Create Function App bash

```
az functionapp create \  
  --resource-group myResourceGroup \  
  --consumption-plan-location eastus \  
  --runtime python \  
  --runtime-version 3.9 \  
  --functions-version 4 \  
  --name myFaceBlurFunctionApp \  
  --storage-account myfunctionstorageacct \  
  --os-type linux
```

Step 6: Prepare Your Project Structure Create the following folder structure: face-blur-function/ |— requirements.txt |— host.json |— local.settings.json |— FaceBlurTimer/ | |— init.py | |— function.json |— shared/

```
|— face_blur_processor.py
```

Step 7: Create Project Files requirements.txt

```
txtazure-functions  
azure-storage-blob  
requests  
python-dotenv  
Pillow  
schedule
```

host.json

```
{  
  "version": "2.0",  
  "logging": {  
    "applicationInsights": {  
      "samplingSettings": {  
        "isEnabled": true,  
        "excludedTypes": "Request"  
      }  
    }  
  },  
  "extensionBundle": {  
    "id": "Microsoft.Azure.Functions.ExtensionBundle",  
    "version": "[2.*, 3.0.0)"  
  },  
  "functionTimeout": "00:10:00"  
}
```

```
}
```

local.settings.json

```
{
  "IsEncrypted": false,
  "Values": {
    "AzureWebJobsStorage": "your_function_storage_connection_string",
    "FUNCTIONS_WORKER_RUNTIME": "python",
    "AZURE_STORAGE_CONNECTION_STRING":
"your_blob_storage_connection_string",
    "AZURE_CONTAINER_NAME": "your_source_container_name",
    "WEBAPP_URL": "https://your-webapp.com/blur",
    "WEBAPP_TIMEOUT": "60"
  }
}
```

<code>

FaceBlurTimer/function.json

```
<code>
{
  "scriptFile": "__init__.py",
  "bindings": [
    {
      "name": "mytimer",
      "type": "timerTrigger",
      "direction": "in",
      "schedule": "0 0 * * * *"
    }
  ]
}
```

Step 8: Set Application Settings

```
# Set your environment variables
az functionapp config appsettings set \
  --name myFaceBlurFunctionApp \
  --resource-group myResourceGroup \
  --settings \
  "AZURE_STORAGE_CONNECTION_STRING=your_blob_storage_connection_string" \
  "AZURE_CONTAINER_NAME=your_source_container_name" \
  "WEBAPP_URL=https://your-webapp.com/blur" \
  "WEBAPP_TIMEOUT=60"
```

Step 9: Initialize Function Project Locally

```
# Create project directory
mkdir face-blur-function
cd face-blur-function
# Initialize function project
```

```
func init --python
```

Step 10: Create Timer Function

```
func new --name FaceBlurTimer --template "Timer trigger"
```

<code>

Step 11: Deploy to Azure

<code>

```
# Deploy the function
func azure functionapp publish myFaceBlurFunctionApp
```

Alternative: Deploy using Azure CLI (Zip Deploy) If you prefer to deploy using zip:

```
Create deployment package
zip -r deployment.zip .
```

Deploy using az cli

```
az functionapp deployment source config-zip \
  --resource-group myResourceGroup \
  --name myFaceBlurFunctionApp \
  --src deployment.zip
```